Measuring Tape

INTRODUCTION

* High impact ABS case with rubber cover
* Heat-treated spring provides long life and smooth blade rewind
* Strong belt clip



ITEM NO	SIZE	L1(mm)	L2(mm)	PCS	BARCODE
580006	3.0mx19mm	60	19	120	6959820822283
580007	5.0mx19mm	70	19	120	6959820822290
580008	5.0mx25mm	70	25	96	6959820822306
580009	7.5mx25mm	80	25	60	6959820822313
580010	10mx25mm	90	25	48	6959820822320

Measuring Tape

INTRODUCTION

* Impact resistant rubberized case
* Heat-treated spring provides long life and smooth blade rewind
* Strong belt clip




ITEM NO	SIZE	L1(mm)	L2(mm)	PCS	BARCODE
580033	3.0mx16mm	70	16	120	6959820821941
580035	5.0mx19mm	81	19	120	6959820821958
580036	5.0mx25mm	81	25	96	6959820821965
580037	7.5mx25mm	83	25	60	6959820821972

Long Measuring Tape

INTRODUCTION

* Fiberglass tape, with clear and durable graduation;
* High impact ABS case;
* Strong belt clip




ITEM NO	SIZE	L1(mm)	L2(mm)	W(mm)	PCS	BARCODE
580202	20mx12.5mm	123	12.5	133	60	6959820821101
580203	30mx12.5mm	158	12.5	165	40	6959820821118

Long Measuring Tape

INTRODUCTION

* Fiberglass tape, with clear and durable graduation;
* High impact ABS case;
* Strong belt clip
* Ergonomics comfortable grip;




ITEM NO	SIZE(mm)	L1(mm)	L2(mm)	W(mm)	PCS	BARCODE
580213	30mx12.5mm	180	12.5	320	20	6959820821125
580215	50mx12.5mm	225	12.5	370	20	6959820821132
580217	100mx12.5mm	307	12.5	455	10	6959820822269

Steel Measuring Tape

INTRODUCTION

* High quality nickel plated blade;
* With clear and durable graduation;
* High impact steel case;



ITEM NO	SIZE(mm)	L(mm)	W(mm)	PCS	BARCODE
580225	50	180	320	16	6959820832701
580230	100	210	340	12	6959820832718

52 Pc Screw-pitch Gauge

INTRODUCTION

*Stainless steel blade, surface polished

*Size: Metric: 0.25-6.0mm(0.25,0.3,0.35,0.4,0.45,0.5,0.6,0.7,0.75, 0.8,0.9,1.0,1.25,1.5,1.75,2.0,2.5,3.0,3.5,4.0,4.5,5.0,5.5,6.0mm)

Whitworth: 4-62(4,4.5,5,6,7,8,9,10,11,12,13,14,15,16,18,20,22, 24,25,26,28,30,32,36,40,48,60,62)



ITEM NO	PCS	BARCODE
580412	100	6959820852624

32 Pc Feeler Gauge

★ INTRODUCTION

65# ENV PRO

* 65Mn blade, surface polished
* Feeler Size:0.04,0.05,0.06,0.08,0.10,0.13,0.15,0.18,0.20,0.23,0.25, 0.28,0.30,0.33,0.35,0.38,0.40,0.43,0.45,0.48,0.50,0.53,0.55,0.58, 0.60,0.63,0.65,0.70,0.75,0.80,0.88+0.25mm Copper Sheet



ITEM NO	PCS	BARCODE
580432	72	6959820821170


Aluminium Level

★ INTRODUCTION

ALUMINIUM MAG ENV PRO

* Aluminium Three Vials Level
* Aluminum frame;
* Comfortable rubber handle
* 3 high visible vials





ITEM NO	SIZE(mm)	L(mm)	W(mm)	H(mm)	PCS	BARCODE
580511	600	600	58	23.5	30	6959820821217
580512	800	800	58	23.5	30	6959820821224
580513	1000	1000	58	23.5	30	6959820821231


Aluminium Level

★ INTRODUCTION

ALUMINIUM MAG ENV CLA

* Aluminium Three Vials Level
* Aluminum frame;
* Comfortable rubber handle
* 3 high visible vials





ITEM NO	SIZE(mm)	L(mm)	W(mm)	H(mm)	PCS	BARCODE
580523	300	300	47	20	50	6959820822450
580524	500	500	47	20	50	6959820822467
580525	600	600	47	20	50	6959820822474
580526	800	800	47	20	50	6959820822481
580527	1000	1000	47	20	50	6959820822498
580528	1200	1200	47	20	50	6959820822504

Stainless Steel Ruler

INTRODUCTION

* Stainless steel
* Easy to read
* Suitable for industrial use



ITEMNO	SIZE(mm)	PCS	BARCODE
580701	150	500	6959820821255
580703	300	300	6959820821262
580705	500	200	6959820821279
580707	1000	100	6959820821286
580708	1200	60	6959820821910
580709	1500	30	6959820821927
580710	2000	30	6959820821934

Aluminium Try Square

INTRODUCTION

A-ALLOY

* High quality aluminum stock
* Durable and clear graduation scale
* Suitable for industrial



ITEMNO	SIZE(mm)	PCS	BARCODE
580712	250	100	6959820821293
580713	300	100	6959820821309
580714	400	60	6959820821316

Combination Square

INTRODUCTION

STAINLESS

* High quality stainless steel, hardness no less than HRC30
* Aluminum alloy body
* Embossed graduation for easy reading and durability
* With impact-resistant vial



ITEM NO	SIZE(mm)	L(mm)	PCS	BARCODE
580720	300	300	60	6959820832572

Vernier caliper

★ INTRODUCTION

CS-45 METRIC HS H P CLA

* Caliper for measuring inner diameter, diameter, with depth and step function
* Rule body scale using laser engraving process, clear scale
* Satin finish





ITEM NO	SIZE(mm)	L(mm)	W1(mm)	W2(mm)	PCS	BARCODE
580804	150	230	77	16	50	6959820822337
580805	200	300	77	16	50	6959820822344


Digital Caliper

★ INTRODUCTION

STAINLESS METRIC H P PRO

* Made of stainless steel
* Super extra high LCD display, powered by battery, metric and inch interchangeable
* Caliper for measuring inner diameter, diameter, with depth and step function





ITEM NO	SIZE(mm)	L(mm)	W1(mm)	W2(mm)	PCS	BARCODE
580821	150	235	77	16	50	6959820821354

Green Line Laser Level

★ INTRODUCTION

METRIC H P PRO

*2 Osram green lines
*Wavelength: 520Nm laser diode
*Swaying rest time: 4Seconds
*Damping Level: Automatic
*Accuracy: 10m/±2mm
*Dustproof and waterproof rating: IP54
*Work temperature: - 10℃~+50℃
*Stock temperature: - 20℃~+80℃
*3 Pc AA 1.5V battery
*1 Pc clamp support
*3 Pc alkaline battery
*Packing: Nylon bag + Color box



ITEM NO	SIZE(Nm)	L(mm)	W1(mm)	W2(mm)	PCS	BARCODE
581002	520Nm	235	77	16	24	6959820852914

STRIKING TOOLS




Stoning Hammer With Wood Handle

★ INTRODUCTION

CS-45

*Forged fine grain steel head hardened, tempered. HRC>48
*Matt black powder painted head.
*High quality oak





ITEM NO	SIZE(kg)	L(mm)	W(mm)	H(mm)	PCS	BARCODE
590051	1.0	260	95	40	24	6959820853911
590055	1.5	280	110	45	12	6959820853928
590060	2.0	300	120	50	12	6959820853935


Stoning Hammer With Fiberglass Handle

★ INTRODUCTION

CS-45

* Forged fine grain steel head hardened, tempered. HRC>48
* Matt black powder painted head
* Two colors fiberglass shaft with comfortable ergonomics cushion grip





ITEM NO	SIZE(kg)	L(mm)	W(mm)	H(mm)	PCS	BARCODE
590061	1.0	255	95	40	24	6959820822078
590065	1.5	280	110	45	12	6959820822085
590070	2.0	284	120	50	12	6959820822092


Stoning Hammer Fiberglass Handle

★ INTRODUCTION

CS-45

* Forged fine grain steel head hardened,HRC>48
* Matt black painted head
* Two colors fiberglass shaft with comfortable ergonomics cushion grip





ITEM NO	SIZE(kg)	L(mm)	W(mm)	H(mm)	PCS	BARCODE
590083	3	900	140	57	4	6959820822108
590084	4	900	150	62	4	6959820822115
590085	5	900	160	68	2	6959820822122


Ball Pein Hammer Fiberglass Handle

★ INTRODUCTION

CS-45

* Forged fine grain steel head hardened. HRC>48
* Fully ground face and cheeks
* Two colors fiberglass shaft with comfortable ergonomics cushion grip.





ITEM NO	SIZE(kg)	L(mm)	W(mm)	ØD(mm)	PCS	BARCODE
590114	0.45	317.5	100.0	29.3	24	6959820821415
590116	0.68	360.0	116.0	34.0	24	6959820821422
590119	0.91	345.0	125.5	34.0	24	6959820821439


Ball Pein Hammer Oak Wood Handle

INTRODUCTION

CS-45

* Forged fine grain steel head hardened. HRC>48
* Fully ground face and cheeks
* High quality oak wood handle





ITEM NO	SIZE(kg)	L(mm)	W(mm)	ØD(mm)	PCS	BARCODE
590134	0.45	340	103	30	36	6959820822375
590136	0.68	356	116	34	36	6959820822382
590139	0.91	381	126	37	24	6959820822399


Claw Hammer Oak Wood Handle

INTRODUCTION

CS-45

* Forged fine grain steel head hardened. HRC>48
* Fully ground face and cheeks
* High quality oak wood handle





ITEM NO	SIZE(kg/oz)	L(mm)	W(mm)	ØD(mm)	PCS	BARCODE
590205	0.50/16	330	130	30	36	6959820821446


Claw Hammer Fiberglass Handle

INTRODUCTION

CS-45

* Forged fine grain steel head hardened. HRC>48
* Fully ground face and cheeks
* Two colors fiberglass shaft with comfortable ergonomics cushion grip.





ITEM NO	SIZE(kg/oz)	L(mm)	W(mm)	ØD(mm)	PCS	BARCODE
590215	0.5/16	330	135	30	36	6959820821477


Claw Hammer With Fiberglass Handle

INTRODUCTION

CS-45

* Forged fine grain steel head hardened. HRC>48
* Head with magnetic, easy for adsorption of nails while working.
* Two colors fiberglass shaft with comfortable ergonomics cushion grip.





ITEM NO	SIZE(kg/oz)	L(mm)	W(mm)	ØD(mm)	PCS	BARCODE
590216	0.7/20	350	130	25	24	6959820822238


Claw Hammer One Piece Forged

INTRODUCTION

CS-45

* Solid forged one piece, hardened and tempered. HRC>48
* Fully polished and lacquered.
* Solid forged shaft with shock-absorbing grip to reduce vibrations when striking.





ITEM NO	SIZE(kg/oz)	L(mm)	W(mm)	ØD(mm)	PCS	BARCODE
590218	0.5/16	330	130	32	24	6959820821484


Sledge Hammer Wood Handle

INTRODUCTION

CS-45

* Forged fine grain steel head hardened. HRC>48
* Fully ground face and cheeks
* High quality oak wood handle





ITEM NO	SIZE(lb)	L(mm)	W(mm)	ØD(mm)	PCS	BARCODE
590303	3	350	112	46	12	6959820821491

Sledge Hammer Fiberglass Handle

INTRODUCTION

CS-45

* Forged fine grain steel head hardened,HRC>48
* Matt black painted head
* Two colors fiberglass shaft with comfortable ergonomics cushion grip






ITEM NO	SIZE(kg/lb)	L(mm)	W(mm)	ØD(mm)	PCS	BARCODE
590306	3/6	900	145	60	4	6959820821507
590308	4/8	900	165	60	4	6959820822139
590310	5/10	900	180	64	2	6959820822146
590312	6/12	900	190	68	2	6959820822153
590314	7/14	900	198	72	2	6959820822160
590316	8/16	900	208	75	2	6959820822177

Black Rubber Mallet With Fiberglass

INTRODUCTION

* Black rubber head,
* Two colors fiberglass shaft fitted ergonomics cushion grip, particularly useful for laying paving etc.






ITEM NO	SIZE(g)	L(mm)	W(mm)	ØD(mm)	PCS	BARCODE
590412	225	290	80	50	36	6959820854413
590415	500	334	95	57	24	6959820821545
590417	700	334	115	63	24	6959820821552

White Rubber Mallet with Fiberglass Handle

INTRODUCTION

* White rubber head,
* Two colors fiberglass shaft fitted ergonomics cushion grip, particularly useful for laying paving etc.






ITEM NO	SIZE(g)	L(mm)	W(mm)	ØD(mm)	PCS	BARCODE
590432	225	290	80	50	36	6959820853881
590435	500	335	95	63	24	6959820853898
590437	700	340	115	70	24	6959820853904

Dead Blow Mallet Orange

INTRODUCTION

* Ideal for heavy and effective blows
* The hollow head has steel particles which prevent rebound






ITEM NO	SIZE(g)	L(mm)	W(mm)	ØD(mm)	PCS	BARCODE
590445	450	300	102	44	24	6959820821590
590449	900	340	102	52	24	6959820821606

Brass Hammer With Fiberglass Handle

INTRODUCTION

* Brass hammer head with soft surface
* No sparks while working
* Soft fiberglass handle for anti-skip





ITEM NO	SIZE(kg/lb)	L(mm)	W(mm)	ØD(mm)	PCS	BARCODE
590456	1/2	315	90	34	24	6959820821613


1000G Splitting Maul With Fiberglass handle

INTRODUCTION

CS-45

*Forged Fine grain steel head
*Hardened and tempered
*Two colors fiberglass handle shaft with comfortable ergonomics cushion grip





ITEM NO	SIZE	L(mm)	W(mm)	H(mm)	H1(mm)	PCS	BARCODE
590480	1000G	430	146	26	83	12	6959820851559


Chipping Hammer

INTRODUCTION

CS-45

* Chipping Hammer
* Forged fine steel
* For rust clearing in pipeline surface





ITEM NO	SIZE	L(mm)	W(mm)	ØD(mm)	PCS	BARCODE
590541	500g	260	160	23	36	6959820821620


Axe With Fiberglass Handle

INTRODUCTION

CS-45

* Forged fine grain steel head hardened and tempered
* Ground edges finish and edge cover
* Two colors fiberglass handle shaft with comfortable ergonomics cushion grip.





ITEM NO	SIZE(kg)	L(mm)	W(mm)	H(mm)	H1(mm)	PCS	BARCODE
590466	0.6	390	140	40	105	24	6959820822191
590468	0.8	390	163	47	105	24	6959820822207
590470	1.0	470	174	47	110	12	6959820822214
590475	1.5	910	192	64	124	6	


1500G Pick Mattock With Fiberglass Handle

★ INTRODUCTION

CS-45

*Forged Fine grain steel head
*Hardened and tempered
*Two colors fiberglass handle shaft with comfortable ergonomics cushion grip
*90cm length handle





ITEM NO	SIZE	L(mm)	H(mm)	W(mm)	PCS	BARCODE
590615	1500G	900	55	460	6	6959820851511

PLUMBING TOOLS




G Clamp

INTRODUCTION

HT-250

* Made from high grade iron casting
* For a wide variety of metalworking and woodworking applications
* The spindle has acme threads for a smooth operation and maximum clamping pressure





ITEM NO	SIZE	L(mm)	H(mm)	W1(mm)	W2(mm)	PCS	BARCODE
600200	2"	60	20	110	60	72	6959820835337
600201	3"	90	22	165	90	36	6959820825062
600202	4"	105	25	200	115	36	6959820825079
600203	6"	130	30	270	170	24	6959820825086
600204	8"	150	30	330	220	12	6959820825093
600205	10"	160	34	370	260	10	6959820825109


Heavy Duty F Clamp

INTRODUCTION

HT-450-10

* Nickel plated bar
* Black finished thread bar
* Two-component plastic handle





ITEM NO	SIZE	L(mm)	H1(mm)	H2(mm)	PCS	BARCODE
600301	50X150	150	50	5X15	50	6959820850699
600302	50X250	250	50	5X15	50	6959820850705
600303	80X300	300	80	6X22	30	6959820850712
600305	80X300	300	80	6X22	10	6959820850729
600306	120X600	600	120	8X30	10	6959820850736
600308	120X800	800	120	8X30	10	6959820850743
600309	120X1000	1000	120	8X30	8	6959820850750


Quick Ratchet Bar Clamp

INTRODUCTION

NYLON

*Nylon-fiberglass mixture body
*Black finished bar
*Soft non-marking pads
* Packed by hang card





ITEM NO	SIZE	OPENING	L(mm)	H1(mm)	H2(mm)	PCS	BARCODE
600324	4"	100mm	195	110	3X8	120	6959820851566
600326	6"	150mm	330	210	5.5X18	36	6959820851573
600328	8"	200mm	380	210	5.5X18	36	6959820851580
600332	12"	300mm	480	210	5.5X18	24	6959820851597
600334	24"	600mm	775	210	5.5X18	24	6959820851603


6Pcs Spring Clamp Set

INTRODUCTION

NYLON

*Nylon-fiberglass mixture body
*PE jaws
*Packed by hang bag





ITEM NO	SIZE	OPENING	L(mm)	H(mm)	PCS	BARCODE
600354	4"/6pcs	45mm	100	190	36	6959820851610
600356	6"/6pcs	65mm	150	115	36	6959820851627


Heavy Auty Table Vice

INTRODUCTION

CAST IROL

* Made from cast iron
* 3" weight 6kg 4" weight 9kg
  5" weight 10.5kg 6" weight 26.5kg
  8" weight 36.5kg





ITEM NO	SIZE	OPEN L(mm)	W(mm)	H(mm)	PCS	BARCODE
600608	3"	260	75	135	1	6959820852341
600609	4"	310	100	160	1	6959820852334
600610	5"	335	125	170	1	6959820848559
600612	6"	470	150	220	1	6959820848566
600613	8"	540	200	235	1	6959820848573

Heavy Duty Pipe Wrench


INTRODUCTION

CR-V

* Ductile iron handle

* CRV Jaw teeth induction quenched





ITEM NO	SIZE	L(mm)	W1(mm)	W2(mm)	H(mm)	PCS	BARCODE
600812	12"	300±3.5%	57	40	19	36	6959820825727
600813	14"	350±3.5%	64	50	21	24	6959820825734
600814	18"	450±3.5%	75	60	24	12	6959820825741
600815	24"	600±5%	85	75	29	8	6959820825758
600816	36"	900±5%	115	85	30	4	6959820825765
600817	48"	1200±5%	136	110	33	2	6959820825772

9 Pc Pipe Threading Set

INTRODUCTION

KH330

* 6 Pc Die head: 1/4", 3/8", 1/2", 3/4", 1", 1-1/4"
* 1 Pc Aluminum ratcheting handle * 2 Pc extension bars



ITEM NO	SIZE	PCS	BARCODE
600871	1/4", 3/8", 1/2", 3/4", 1", 1-1/4"	4	6959820850767

Mini Pipe Cutter

INTRODUCTION


A-ALLOY

* Cutting Dia.3-22mm

* Aluminium Alloy Body

* HSS blade





ITEM NO	SIZE	L1(mm)	L2(mm)	W1(mm)	W2(mm)	PCS	BARCODE
600821	3-22	55	24	38	35	96	6959820825499


Pipe Cutter

INTRODUCTION

A-ALLOY

* Cutting Dia.3-32mm
* Aluminum Alloy Body
* HSS blade





ITEM NO	SIZE	L1(mm)	L2(mm)	W1(mm)	W2(mm)	PCS	BARCODE
600822	3-22	135	30.5	56.5	35	72	6959820825505


Heavy Duty Pipe Cutter

INTRODUCTION

65MN

* Main body is Alloy Aluminum and Mn blade
* Suitable for cutting copper tube,aluminum tube and thin-walled conduit





ITEM NO	SIZE	L(mm)	W(mm)	PCS	BARCODE
600825	12-50	385	105	8	6959820825529
600826	25-75	490	150	6	6959820825536


PVC Pipe Cutter

INTRODUCTION

A-ALLOY

* Main body is Alloy Aluminum and SK5 blade
* Scope: 3-42mm
* Suitable for cutting the water pipe, aliminum plastic pipe, gas pipe,and electrical appliance pipe etc.





ITEM NO	SIZE(mm)	L(mm)	H(mm)	ØD(mm)	PCS	BARCODE
600851	42	190	90	48	50	6959820825567


PVC Pipe Cutter

INTRODUCTION

A-ALLOY

* Main body is Alloy Aluminum and SK5 blade
* Scope: 36mm
* Suitable for cutting plastic pipe





ITEM NO	SIZE(mm)	L(mm)	H(mm)	ØD(mm)	PCS	BARCODE
600850	36	207	37	37	100	6959820826236


Plastic Pipe Hand Saw

INTRODUCTION

65MN

* Made of #1065 Mn steel, heat treated
* Saw teeth hardness >Hrc53, hardened and sharp
* Two sides grinding tooth, sharp and quick chip removal
* Plastic handle





ITEM NO	SIZE	L1(mm)	L2(mm)	L3(mm)	W(mm)	PCS	BARCODE
600860	14"	415	285	350	35	24	6959820847309

TRIMMING TOOLS



10″ Hand Riveter

★ INTRODUCTION


Cr-Mo

*Suitable for single handed application and made from steel

*PVC grip

*Provides a rigid permanent fixing and suitable for use with 2.4,3.2,4.0,4.8mm rivets





ITEM NO	SIZE	L mm	W1 mm	W2 mm	W3 mm	W4 mm	PCS	BARCODE
610102	10"	240	2.4	3.2	4.0	4.8	40	6959820851344

Hand Riveter


★ INTRODUCTION

CS-45

* Suitable for single handed application and made from quality steel with comfortable handles

* Provides a rigid permanent fixing and suitable for use with 2.4,3.2,4.0,4.8mm rivets





ITEM NO	SIZE	L mm	W1 mm	W2 mm	W3 mm	W4 mm	PCS	BARCODE
610106	10.5"	250	3.2	4.8	4.0	2.4	24	6959820831216

32" Folding Riveting Gun

★ INTRODUCTION


Cr-Mo

*Cr-Mo alloy steel clamp units

*Supplied complete five interchangeable nozzles for all popular rivet sizes

*For use with 3.2,4.0,4.8,6.0,6.4mm size rivets





ITEM NO	SIZE	L mm	W1 mm	W2 mm	W3 mm	W4 mm	W5 mm	PCS	BARCODE
610114	32"	810	3.2	4.0	4.8	6.0	6.4	12	6959820590996

5 Pc Coarse Thread Screw Extractor Set

★ INTRODUCTION

CR-Mo

* Manufactured from quality Cr-Mo steel
* Recommended for simple,low cost removal of broken screws
* Without damaging the threads of the component



ITEM NO	SIZE	PCS	BARCODE
610555	5PCS	100	6959820831551

5 Pc Needle Files Set

★ INTRODUCTION

* Used by engravers, precision engineers,instrument makers, and goldsmith. One of each of the following: hand ,half round, square,three square, round



ITEM NO	SIZE	PCS	BARCODE
610621	5x185mm	120	6959820825154


Half Round Wood File

★ INTRODUCTION

CS-45

* Steel file for work in plywood,wallboard,plastic and other soft material
* The comfortable ergo handle gives good grip and control





ITEM NO	SIZE	L1(mm)	L2(mm)	W(mm)	PCS	BARCODE
610618	8"	300	200	25	72	6959820850538


5 Pc Metalworking File

★ INTRODUCTION

T12

* 1pcs medium tooth file
* 1pcs medium tooth triangular file
* 1pcs medium tooth semicircular file
* 1pcs medium tooth half round file
* 1pcs carpentry semi-circular file
* file body hardness up to HRC62-65 degrees





ITEM NO	SIZE	L1(mm)	L2(mm)	W(mm)	PCS	BARCODE
610631	8"	300	200	25	20	6959820850316

Flat Bastard Mill File With Soft Handle


★ INTRODUCTION

T12 HS HFG PRO

* 68-72 HRC

* The comfortable ergo handle gives good grip and control





ITEM NO	SIZE	L1(mm)	L2(mm)	H(mm)	W(mm)	PCS	BARCODE
610632	6"	265	150	15.8±0.3	33.8	72	6959820825789
610633	8"	315	200	19.4±0.3	33.8	72	6959820825796
610634	10"	365	250	23.2±0.3	33.8	72	6959820825802
610635	12"	415	300	27.2±0.3	33.8	48	6959820825819

Flat Smooth File With Soft Handle


★ INTRODUCTION

T12 HS HFG PRO

* 68-72 HRC

* The comfortable ergo handle gives good grip and control





ITEM NO	SIZE	L1(mm)	L2(mm)	H(mm)	W(mm)	PCS	BARCODE
610642	6"	265	150	15.8±0.3	33.8	72	6959820825864
610643	8"	315	200	19.4±0.3	33.8	72	6959820825871
610644	10"	365	250	23.2±0.3	33.8	72	6959820825888
610645	12"	415	300	27.2±0.3	33.8	48	6959820825895

Flat Second Cut File With Soft Handle


★ INTRODUCTION

T12 HS HFG PRO

* 68-72 HRC

* The comfortable ergo handle gives good grip and control





ITEM NO	SIZE	L1(mm)	L2(mm)	H(mm)	W(mm)	PCS	BARCODE
610636	6"	265	150	15.8+0.3	33.8	72	6959820825826
610637	8"	315	200	19.4+0.3	33.8	72	6959820825833
610638	10"	365	250	23.2±0.3	33.8	72	6959820825840
610639	12"	415	300	27.2±0.3	33.8	48	6959820825857

Square Second Cut File With Soft Handle

★ INTRODUCTION

T12 HS HFG PRO

* 68-72 HRC

* The comfortable ergo handle gives good grip and control





ITEM NO	SIZE	L1(mm)	L2(mm)	H(mm)	W(mm)	PCS	BARCODE
610676	6"	265	150	4.8±0.3	33.8	72	6959820826069
610677	8"	315	200	5.8±0.4	33.8	72	6959820826076
610678	10"	365	250	7.0±0.4	33.8	72	6959820826083
610679	12"	415	300	8.5±0.4	33.8	48	6959820826090

Half Round Second Cut File With Soft Handle


★ INTRODUCTION

T12 HS HFG PRO

* 68-72 HRC

* The comfortable ergo handle gives good grip and control





ITEM NO	SIZE	L1(mm)	L2(mm)	H(mm)	W(mm)	PCS	BARCODE
610656	6"	265	150	12.0±0.5	33.8	72	6959820825949
610657	8"	315	200	15.5±0.5	33.8	72	6959820825956
610658	10"	365	250	17.5±1.0	33.8	72	6959820825963
610659	12"	415	300	20.0±1.0	33.8	48	6959820825970

Round Second Cut File With Soft Handle

INTRODUCTION

T12 HS HFG PRO

* 68-72 HRC

* The comfortable ergo handle gives good grip and control



ITEM NO	SIZE	L1(mm)	L2(mm)	H(mm)	W(mm)	PCS	BARCODE
610692	6"	265	150	4.1±0.3	33.8	72	6959820826144
610693	8"	315	200	5.5±0.3	33.8	72	6959820826151
610694	10"	365	250	7.0±0.3	33.8	72	6959820826168
610695	12"	415	300	8.6+0.3	33.8	48	6959820826175

Hacksaw Frame

INTRODUCTION

HS SCA CLA

* Hacksaw Frame

* The slim design improves access into confined spaces



ITEM NO	SIZE	L(mm)	W1(mm)	W2(mm)	PCS	BARCODE
610702	12"	420	130	145	48	6959820816732

Hacksaw Frame Aluminium Handle

INTRODUCTION

A-ALLOY SCA PRO

* Professional hacksaw frame features soft grip handles for extra comfort

* Easy blade changing system and a secondary blade position for flush cutting



ITEM NO	SIZE	L(mm)	W1(mm)	W2(mm)	PCS	BARCODE
610705	12"	405	132	164	24	6959820832824

Mini Hacksaw Frame

INTRODUCTION

HS SCA CLA

* An epoxy coated steel frame,supplied with a hardened and tempered blade which is ideal for small cutting in metal and wood



ITEM NO	SIZE	L(mm)	W1(mm)	W2(mm)	PCS	BARCODE
610701	6"	250	65	95	120	6959820816725

6" 50 Pc High Carbon Steel Saw Blade

INTRODUCTION

65MN HS HFG CLA

*Suitable to the application in cutting plastic, wood, PVC etc



ITEM NO	SIZE	PCS	BARCODE
610711	6"	20	6959820851023

6 Pc Pin Punch Set

INTRODUCTION

CR-V

* 6 Pc Pin Punch Set
* Manufactured from Chrome Vanadium steel
* Used for punching out pins and dowels



ITEM NO	SIZE	PCS	BARCODE
610836	10"	24	6959820832626


Flat Chiset TPR Handle

INTRODUCTION

CR-V

* Manufactured from quality Chrome Vanadium, tempered and heated
* Powder painted surface for rust resisting
* Suitable for the field of construction, decoration etc





ITEM NO	SIZE	L1(mm)	L2(mm)	W(mm)	H(mm)	PCS	BARCODE
610841	19x250	250	115	21.5	25	24	6959820821729


Point Chisel TPR Handle

INTRODUCTION

CR-V

* Manufactured from quality Chrome Vanadium tempered and heated
* Powder painted surface for rust resisting
* Suitable for the field of construction, decoration etc





ITEM NO	SIZE	L1(mm)	L2(mm)	W(mm)	H(mm)	PCS	BARCODE
610842	19x250	250	115	21.5	25	24	6959820821736

12 Pc Hollow Punch Set

INTRODUCTION

CS-45

* Manufactured from Chrome Vanadium steel
* Used for punching out pins and dowels



ITEM NO	SIZE	PCS	BARCODE
610848	3-16mm	20	6959820821743


3 Pc Woodwork Chisel Set

★ INTRODUCTION

CS-55

* High carbon steel blade
* Full surface machine grinding
* PP handle





ITEM NO	SIZE	L(mm)	PCS	BARCODE
611001	13mm,19mm,25mm	235-255	36	6959820848245


4 Pc Woodwork Chisel Set

★ INTRODUCTION

CR-V

* Chrome vanadium steel blade
* Full surface machine grinding
* Comfortable handle





ITEM NO	SIZE	L(mm)	PCS	BARCODE
611011	6mm,13mm,19mm,25mm	255-275	20	6959820848146


Comfortable Handle Wood Chisel

★ INTRODUCTION

CR-V

* Chrome vanadium steel blade
* Full surface machine grinding
* Comfortable handle





ITEM NO	SIZE	L(mm)	W(mm)	PCS	BARCODE
611012	6mm	250	6	72	6959820848139
611013	10mm	250	10	72	6959820848122
611014	13mm	250	13	72	6959820848115
611015	16mm	250	16	72	6959820848108
611016	19mm	250	19	72	6959820848092
611017	22mm	275	22	72	6959820848085
611018	25mm	275	25	72	6959820848078
611019	32mm	275	32	72	6959820848061

HOME

DECORATION TOOLS




Paint Brush Plastic Handle

INTRODUCTION

* Paint Brush Plastic Handle
* Boiled bristle brush
* Two colors Plastic Handle






ITEM NO	SIZE	L(mm)	W(mm)	D(mm)	PCS	BARCODE
620101	1"	195	25.5	44	96	6959820835016
620102	2"	200	51.0	44	96	6959820835023
620103	3"	215	76.5	51	72	6959820835030
620104	4"	225	101.5	51	72	6959820835047

Paint Brush TPR Handle

INTRODUCTION

* Paint Brush TPR Handle
* Boiled bristle brush
* Two colors TPR handle






ITEM NO	SIZE	L(mm)	W(mm)	PCS	BARCODE
620121	1"	195	24.5	96	6959820835061
620122	2"	210	52.0	96	6959820835078
620123	3"	220	55.0	72	6959820835085
620124	4"	240	82.0	72	6959820835092

4" Paint Roller

INTRODUCTION

* Polyester & Acrylic material
* 12mm Roller height
* 5.8mm Dia of central shank
* 400mm length frame
* TPR double color soft handle






ITEM NO	SIZE(mm)	L(mm)	W(mm)	PCS	BARCODE
620130	4"/100	425	100	120	6959820835108

10 Pc 4" Paint Roller Cover set

INTRODUCTION

* Polyester & Acrylic material
* 12mm Roller height
* Convenient and fast change the roller cover





ITEM NO	SIZE(mm)	L(mm)	W(mm)	PCS	BARCODE
620131	4"/100	100	35	60	6959820850859

4" 7 Pc Roller Brush Set

INTRODUCTION

* 3 Pc Polyester & Acrylic material
* 2 Pc White high-density foam roller
* 1 Pc Silver paint tray pp new material
* 1 Pc TPR double color soft handle



ITEM NO	SIZE(mm)	PCS	BARCODE
620133	4"/100	12	6959820847644

9" 4 Pc Roller Brush Set

INTRODUCTION

* 1 Pc Silver paint tray pp new material
* 2 Pc polyester & acrylic roller
* 1 Pc TPR double color soft handle




ITEM NO	SIZE(mm)	PCS	BARCODE
620134	9"/228	12	6959820847651

9" Paint Roller

INTRODUCTION

* For Outside wall or coarse wall surface
* Acrylic material
* 12mm Roller height
* 7.8mm Dia of central shank
* TPR double color soft handle






ITEM NO	SIZE(mm)	L(mm)	W(mm)	PCS	BARCODE
620135	9"/100	350	228	36	6959820835115

9" Paint Roller Cover

INTRODUCTION

* For Outside wall or coarse wall surface
* Acrylic material
* 12mm Roller height
* Convenient and fast change the roller cover
* It could be used in conjunction with HARDEN #620139 frame






ITEM NO	SIZE(mm)	L(mm)	W(mm)	PCS	BARCODE
620138	9"/228	228	65	100	6959820835122

9" Paint Roller Frame

INTRODUCTION

* Steel wire with chrome plated
* 7.8mm Dia of central shank
* TPR double color soft handle
* It could be used in conjunction with HARDEN #620138 cover






ITEM NO	SIZE(mm)	H(mm)	W(mm)	PCS	BARCODE
620139	9"/100	40	230	40	6959820835139

Wire Brush

INTRODUCTION

* Wire Brush
* Made from copper plating wire
* For de-rusting and polishing





ITEM NO	SIZE(mm)	L(mm)	H(mm)	PCS	BARCODE
620140	225	240	36	72	6959820825055


Stainless Steel Scraper

INTRODUCTION

STAINLESS

* Made from stainless steel
* Tempered and quenched
* The metal part on the handle can be used for striking






ITEM NO	SIZE(mm)	L(mm)	W(mm)	PCS	BARCODE
620201	25	230	25	120	6959820835146
620202	50	230	50	120	6959820835153
620203	75	230	75	120	6959820835160
620204	100	230	100	120	6959820835177
620205	125	230	125	120	6959820848344

Plastic Scraper

INTRODUCTION

* Plastic Scraper
* Replaceable blades
* Used with # 620219 blades





ITEM NO	L(mm)	H(mm)	PCS	BARCODE
620216	145	100	144	6959820835191


Blades For Scraper

INTRODUCTION

65MN

* Blades For Scraper
* 65Mn
* For #620216





ITEM NO	L(mm)	W(mm)	PCS	BARCODE
620219	100	18	240x10	6959820835207


Bricklaying Trowel

INTRODUCTION

CS-50

* High Carbon Steel
* TPR Handle





ITEM NO	SIZE	L(mm)	W(mm)	PCS	BARCODE
620226	6"	150	76	60	6959820850378
620227	7"	175	88	60	6959820850385
620228	8"	200	98	60	6959820850392


Bricklaying Trowel

INTRODUCTION

CS-50

* High Carbon Steel
* TPR Handle





ITEM NO	SIZE	L(mm)	W(mm)	PCS	BARCODE
620236	6"	150	70	48	6959820850408
620237	7"	175	84	48	6959820850415
620238	8"	200	108	48	6959820850422


Bricklaying Trowel

INTRODUCTION

CS-50

* High Carbon Steel
* TPR Handle





ITEM NO	SIZE	L(mm)	W1(mm)	W2(mm)	PCS	BARCODE
620246	6"	160	88	115	48	6959820850439
620247	7"	180	90	120	48	6959820850446
620248	8"	200	85	120	48	6959820850453


Plastering Trowel

INTRODUCTION

CS-50

* High Carbon Steel
* TPR Handle





ITEM NO	SIZE(mm)	L(mm)	W(mm)	PCS	BARCODE
620252	280x120	280	120	48	6959820850460


Plastering Trowel

INTRODUCTION

CS-50

* High Carbon Steel
* TPR Handle





ITEM NO	SIZE(mm)	L(mm)	W(mm)	PCS	BARCODE
620258	280x120	280	120	48	6959820850477


9" CAULKING GUN

INTRODUCTION

ALUMINIUM

*Aluminium body, steel trigger
*Ideal for sealing and bonding agents





ITEM NO	SIZE	L(mm)	W(mm)	PCS	BARCODE
620408	9"	340	190	12	695982085263


9" Caulking Gun

INTRODUCTION

CS–45

* Caulking Gun
* Made from fine steel
* Applying for sealing or bonding agents





ITEM NO	SIZE	L(mm)	W(mm)	PCS	BARCODE
620409	9"	320	175	24	6959820835221


9" Caulking Gun

INTRODUCTION

A-ALLOY LC HS PRO

* Caulking Gun
* Made from fine steel
* Smooth pushing rod





ITEM NO	SIZE	L(mm)	W(mm)	PCS	BARCODE
620413	9"	320	205	12	6959820835412

Oval Carpentry Pencil


INTRODUCTION

DFU CLA

* Carpentry pencil orange (021C) surface gold stamped HARDEN words
* Graphite black heart







ITEM NO	L mm	W1 mm	W2 mm	PCS	BARCODE
620424	176	12x7.4	5x2	72	6959820848597

2 Pc Chalk Line Reel Set

INTRODUCTION

PFW CLA

*Length: 30m
*With 1 bottle chalk
*With 1 Pc spirit bubble
*Packed by double blister



ITEM NO	SIZE	PCS	BARCODE
620616	30m/115g	60	6959820853027

Staple Gun

INTRODUCTION


A3-STEEL DFU PRO

* Made from fine steel
* Chrome plating handle
* Used with #620836,620838





4-8mm
(5/32"-5/16")



ITEM NO	L(mm)	W(mm)	⊓(mm)	PCS	BARCODE
620802	150	80	4-8	40	6959820850545

Staple Gun

INTRODUCTION

CS-45 DFU PRO

* Three-use nail gun
* Made from fine steel
* Chrome plating handle
* With 600 Pc nails
* Use staple #620828, #620829






4-14mm
(5/32"-9/16")



10-12mm
(3/8"-1/2")



10-14mm
(3/8"-9/16")



ITEM NO	L mm	W1 mm	∩ mm	T mm	⊓ mm	PCS	BARCODE
620803	155	113	10-12	10-14	4-14	24	6959820850286


Staples type 140

INTRODUCTION

CARBON DFU PRO

* Carbon Steel
* Surface galvanized
* Use with #620803





ITEM NO	SIZE(mm)	L(mm)	W1(mm)	W2(mm)	PCS	BARCODE
620828	1.2x8	11.3	8	1.2	200	6959820850521
620829	1.2x10	11.3	10	1.2	200	6959820850576


Staples type 53

INTRODUCTION

CARBON

* Carbon Steel
* Surface galvanized
* Use with #620802





ITEM NO	SIZE(mm)	L(mm)	W1(mm)	W2(mm)	PCS	BARCODE
620836	0.7x6	11.3	6	0.7	200	6959820850552
620838	0.7x8	11.3	8	0.7	200	6959820850569


Wrecking Bar

INTRODUCTION

65MN

* Made from high carbon steel
* Powder coated and heat treated





ITEM NO	SIZE	L(mm)	W(mm)	PCS	BARCODE
620706	20X600mm	600	20	6	6959820821873
620710	20X1000mm	1000	20	6	6959820821880


Crow Bar

INTRODUCTION

CR-V

* Made from CRV
* Sand blasting, baking varnish and heat treated





ITEM NO	SIZE(mm)	L(mm)	W(mm)	PCS	BARCODE
620715	600	600	30	6	6959820822245
620717	900	900	30	6	6959820822252


Hex Paint Mixer

INTRODUCTION

CS-45

*Carbon steel
*Zinc plating
*Plastic hanging card





ITEM NO	SIZE(mm)	L(mm)	W(mm)	PCS	BARCODE
621004	400x80x8	400	80	40	6959820853799
621006	600x100x9	600	100	20	6959820853805



HOME

GARDEN TOOLS




Garden Pruner

INTRODUCTION 65MN

* Forged from 65Mn steel
* Heat treated blade, sharp and durable
* PVC coated handle






ITEM NO	SIZE(mm)	L(mm)	W1(mm)	W2(mm)	PCS	BARCODE
630401	8"	200	27.5	50	48	6959820816954

Garden By-Pass Pruner

INTRODUCTION SK-5

* Upper blade: SK5 steel, Non-stick painting
* Lower blade: carbon steel
* Comfortable handle with TPR grip






ITEM NO	SIZE	L(mm)	W1(mm)	W2(mm)	PCS	BARCODE
630402	8"	200	30	77.5	48	6959820816961

Garden Anvil Pruner

INTRODUCTION SK-5

* Upper blade: SK5 steel, Non-stick painting
* Lower blade: carbon steel
* Comfortable handle with TPR grip






ITEM NO	SIZE	L(mm)	W1(mm)	W2(mm)	PCS	BARCODE
630403	8"	200	30	77.5	48	6959820816978

Garden Pruner

INTRODUCTION SK-5

* Upper blade: SK5 steel, Non-stick painting
* Lower blade: carbon steel
* Comfortable handle with TPR grip






ITEM NO	SIZE	L(mm)	W1(mm)	W2(mm)	PCS	BARCODE
630405	8"	200	30	48	48	6959820816985

Garden Fruit Shears

INTRODUCTION STAINLESS

* Forged stainless steel blade
* Heat treated for sharp and durable use
* Zinc alloy handle with PVC cover






ITEM NO	SIZE(mm)	L(mm)	W1(mm)	W2(mm)	PCS	BARCODE
630415	200	200	40	50	72	6959820817630

Garden Fruit Shears

INTRODUCTION STAINLESS

* Forged stainless steel blade
* Heat treated for sharp and durable use
* Zinc alloy handle with PVC cover





ITEM NO	SIZE(mm)	L(mm)	W1(mm)	W2(mm)	PCS	BARCODE
630416	200	200	30	35	72	6959820817647

Mini By-pass Pruner

★ INTRODUCTION

CS-55 HC CLA

* High Carbon Steel
* PP & TPR Handle
* Cut Range: <25mm wood





ITEM NO	SIZE	L(mm)	W1(mm)	W2(mm)	PCS	BARCODE
630501	15"	400	38	170	12	6959820850330


Hedge Shear

★ INTRODUCTION

65MN HC PRO

* 300mm x 4mm high quality carbon steel blade
* Heat treated for sharp and durable use
* Comfortable rubber handle





ITEM NO	SIZE	L (mm)	W1(mm)	W2(mm)	PCS	BARCODE
630502	25"	640	83.6	220	12	6959820816992


By-pass Lopping Pruner

★ INTRODUCTION

CS-55 HC PRO

*High Carbon Steel
* PP & TPR Handle
* Cut Range: <35mm wood





ITEM NO	SIZE	L1(mm)	L2(mm)	W1(mm)	W2(mm)	PCS	BARCODE
630505	25"	645	135	47	280	6	6959820850354


Anvil Lopping Pruner

★ INTRODUCTION

65MN HC PRO

* #65 Mn high carbon steel teflon blade
* PP & TPR Handle
* Cut Range: <45mm wood





ITEM NO	SIZE	L1(mm)	L2(mm)	W1(mm)	W2(mm)	PCS	BARCODE
630506	30.5"	770	200	55	320	12	6959820850323

SHARPER CUTTING



Tree Trimmer

INTRODUCTION

CS-55

* Made from high carbon steel with two side teeth grinding
* Fixed with telescopic tubular handle and 3M nylon rope



ITEM NO	SIZE	PCS	BARCODE
630512	1.27M--2.4M	12	6959820817609

Pro Hand Saw

INTRODUCTION

65MN

* Made of #65 Mn steel, heat treated
* Saw teeth hardness >Hrc53, hardened and sharp
* Three sides grinding tooth, sharp and more quickly remove the chip
* Soft feeling TPR handle



ITEM NO	SIZE	L1(mm)	L2(mm)	L3(mm)	W(mm)	PCS	BARCODE
631116	16"	490	332	400	40	24	6959820847361
631118	18"	540	387	450	40	24	6959820847378
631120	20"	570	415	500	40	24	6959820847385

Hand Saw

INTRODUCTION

65MN

* Made of #65 Mn steel, heat treated
* Saw teeth hardness >Hrc53, hardened and sharp
* Two sides grinding tooth, sharp and more quickly remove the chip
* Soft feeling TPR handle



ITEM NO	SIZE	L1(mm)	L2(mm)	L3(mm)	W(mm)	PCS	BARCODE
631014	14"	450	290	350	40	48	6959820847316
631016	16"	495	335	400	40	48	6959820847323
631018	18"	540	385	450	40	48	6959820847330
631020	20"	600	435	500	40	48	6959820847347
631022	22"	640	482	550	40	48	6959820847354

Wall Board Saw

INTRODUCTION

65MN

* Made of #65 Mn steel, heat treated
* Saw teeth hardness >Hrc53, hardened and sharp
* Two sides grinding tooth, sharp and more quickly remove the chip
* Soft feeling TPR handle



ITEM NO	SIZE	L1(mm)	L2(mm)	PCS	BARCODE
631215	6"/150mm	310	160	36	6959820847392

Folding Saw

INTRODUCTION

65MN

* Made of #65 Mn steel, heat treated
* Three sides grinding tooth, sharp and more quickly remove the chip
* Soft feeling TPR handle



ITEM NO	SIZE	L1(mm)	L2(mm)	PCS	BARCODE
631301	7"/180mm	405	180	48	6959820847583


Folding Saw

INTRODUCTION

65MN

* Made of #65 Mn steel, heat treated
* Three sides grinding tooth, sharp and more quickly remove the chip
* Soft feeling TPR handle





ITEM NO	SIZE	L1(mm)	L2(mm)	PCS	BARCODE
631302	7"/180mm	395	180	36	6959820847590

Garden Glove

INTRODUCTION

* Comfort ventilation
* Good elasticity of high quality wrist



ITEM NO	SIZE	PCS	BARCODE
634101	9"	300	6959820847613

Bottle Sprayer

INTRODUCTION

* All copper nozzle,convenient and durable



ITEM NO	SIZE	PCS	BARCODE
632501	1.0L	20	6959820847422
632502	2.0L	20	6959820847439

Pressure Sprayer

INTRODUCTION

* The pneumatic rod is made of stainless steel
* All copper nozzle,convenient and durable



ITEM NO	SIZE	PCS	BARCODE
632505	5L	6	6959820847446


Mini Garden Shovel

INTRODUCTION

CS-45 ENV PRO

* Carbon steel, heat treated
* Black powder coating
* Comfort TPR grip





ITEM NO	SIZE	L1(mm)	L2(mm)	W(mm)	PCS	BARCODE
632601	350x75mm	350	170	75	48	6959820847521


Garden Trowel

INTRODUCTION

CS-45 ENV PRO

* Carbon steel, heat treated
* Black powder coating
* Comfort TPR grip





ITEM NO	SIZE	L(mm)	H(mm)	W(mm)	PCS	BARCODE
632603	350x87mm	350	71	87	72	6959820847545


Garden Hoe

INTRODUCTION

CS-45 ENV PRO

* Carbon steel, heat treated
* Black powder coating
* Comfort TPR grip





ITEM NO	SIZE	L1(mm)	L2(mm)	W(mm)	PCS	BARCODE
632605	340x100mm	340	170	80	120	6959820847569


Garden Shovel

INTRODUCTION

CS-45 ENV PRO

* Carbon steel, heat treated
* Black powder coating
* Comfort TPR grip





ITEM NO	SIZE	L1(mm)	L2(mm)	W(mm)	PCS	BARCODE
632602	350x85mm	350	170	85	48	6959820847538


Garden Combination Hoe

INTRODUCTION

CS-45 ENV PRO

* Carbon steel, heat treated
* Black powder coating
* Comfort TPR grip





ITEM NO	SIZE	L1(mm)	L2(mm)	W1(mm)	W2(mm)	PCS	BARCODE
632604	340x180mm	340	180	60	60	48	6959820847552


Stainless Spade

INTRODUCTION

STAINLESS ENV PRO

*Stainless steel, heat treated
*Mirror polish
*Comfort TPR grip





ITEM NO	SIZE	L1(mm)	L2(mm)	W(mm)	PCS	BARCODE
632702	320x80mm	320	140	80	48	6959820851313


Stainless Combination Hoe & Fork

INTRODUCTION

STAINLESS ENV PRO

*Stainless steel, heat treated *Comfort TPR grip
*Mirror polish





ITEM NO	SIZE	L1(mm)	L2(mm)	W1(mm)	W2(mm)	PCS	BARCODE
632704	320x185mm	320	145	75	50	48	6959820851320

HOME

ELECTRONIC TOOLS




Non-Contact Detector

INTRODUCTION

* Fire-proof ABS cover
* For voltage range 90-1000V
* Twin color flickers, acoustic and optical alarm signaler,breakpoint
* Help to prevent unnecessary damage to decoration






ITEM NO	SIZE	L(mm)	PCS	BARCODE
660021	90-1000V	210	96	6959820835399

Curved Stainless Knife

INTRODUCTION

* For use on soft cable and also be used for stripping, cutting insulation materials electrical tape
* Stainless steel blade, hardened






ITEM NO	SIZE(mm)	L(mm)	PCS	BARCODE
660102	195	195	72	6959820840065

Spring Magnet Pickup

★ INTRODUCTION

* Spring Magnet Pickup
* High power magnet slimline contoured handle



ITEM NO	SIZE(mm)	L1(mm)	L2(mm)	W(mm)	PCS	BARCODE
660245	600	600	500	34	48	6959820825116

Magnet Pickup

★ INTRODUCTION

* Telescopic Magnetic Pickup
* Pen type handle with pocket clip



ITEM NO	SIZE	L(mm)	H(mm)	PCS	BARCODE
660246	135-640mm	640	13	144	6959820825123
660247	170-830mm	840	14	144	6959820825130


Cable Strippers

★ INTRODUCTION

65MN

* Updated precise stripping knife hole, stripping diameter 1.5-4 square
* Differ from traditional wire strippers, this product is made of quality steel, not only cutting precision, and extended service life
* Cut cable convenient, fast, and accurate
* Can cut PPR/PVC pipe





ITEM NO	SIZE	L(mm)	W(mm)	PCS	BARCODE
660627	8"	185	53	60	6959820840850


Multifunction Crimp Strippers

★ INTRODUCTION

65MN

* Using high-quality chrome vanadium steel, novel appearance
* Crimping insulated terminals and bare terminals, fast and efficient






ITEM NO	SIZE	L(mm)	W(mm)	PCS	BARCODE
660629	0.6-2.0mm	190	59	60	6956820840866


Modular Plug Crimping Tools

★ INTRODUCTION

CS-55

* Manufacturing from hardened and tempered carbon steel with chemically black finished jaws with PVC handles
* Complete with wire cutting and stripping facilities
* RJ45,RJ11,RJ12 (6P) (8P) (4P)





ITEM NO	SIZE(mm)	L(mm)	W(mm)	H(mm)	PCS	BARCODE
660631	190	190	107.6	16.3	48	6959820840859


Work flashlight

★ INTRODUCTION

ALUMINUM

*Material: aluminum body
*Battery voltage: 1.5V
*Battery type: 1 pc AA
*Lamp bead: 1 watt LED
*Brightness: 30 Lumen
*Hook for hang in pocket
*With 1 pc AA alkaline battery





ITEM NO	SIZE	L(mm)	W(mm)	H(mm)	PCS	BARCODE
660708	1.5V	95	20	20	120	6959820852280


Digital Multimeter

★ INTRODUCTION


* IEC 61010-1 CAT.II 600V
* Auto Polarity
- 3 1/2 Digits LCD, Max display 1999
- Backlit Large LCD display
- Low Battery indication
- Overload protection
- Data-hold mode
- Auto power off
- Specifications

DC Voltage: 200m/2/20/200/300V
AC Voltage: 200/600V
DC Current: 200μ/2m/20m/200m/10A
Resistance: 200/2k/20k/200k/2M/20MΩ
Continuity Test
Diode Test Transistor hFE test
- Battery : 6F22(9V) included
- Test lead: plug black & red
- CE approved





ITEM NO	SIZE	L(mm)	H(mm)	PCS	BARCODE
661002	200mA/250V	110	65	80	6959820850828



Pocket Digital Multimeter

Overview **OPERATING MANUAL**

Digital Multimeter Model (hereafter referred to as "the Meter") can measure AC/DC Voltage, DC Current, Resistance, Continuity, Diodes, Transistor hFE and so on.The Meter complies with the standards IEC 61010-1. It's portable and has large LCD display, blue backlight,data hold and with PVC protection holder. As an ideal tool, it can service well in field of maintenance of auto, electrical engineering and teaching lab etc.